QUALIFIED INSPECTOR'S CERTIFICATE OF ILLEGAL DRUG LAB CLEANUP State Form 53276 (R2 / 1-11)

2/207/4



INSTRUCTIONS:

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT

Fill in all requested information using the check boxes and text fields provided. Provide testing information where required.

Give the signed original to the property owner.

3. Provide a copy of the completed form to the local health department along with any additional information they require.

Send copies of the completed form to ISDH Environmental Public Health Division and IDEM Office of Legal Counsel. 4.

If you have questions about this form call 317-233-1655.

Street address (number and street) (include apartment, unit or room number if applicable): City or town: City or town:	Property information:					
Property Type:						
Indiana State Police Methamphetamine Laboratory Occurrence Report Cleanup information: Cleanup method used (check one): Cleanup narrative: 1. Ventilation of decontamination and removal of potentially contaminated materials Cleanup narrative: 1. Ventilation of residence prior to and during remediation activitie 2. Removal of all potentially contaminated materials. 3. Removal of all potentially contaminated materials. 4. Cleaning of all contaminated surfaces using a triple-wash method. 5. Removal of all flex ductwork. 6. Cleaning of the HVAC system. 7. A single wash of ALL surfaces. 8. HEPA Vacuum all surfaces 9. Encapsulation of the subfloor and walls. Disposal site(s): National Serv-All Landfili 5000 Smith Road Fort Wayne IN, 46804 (260) 4398-1932 Final confirmation testing: Testing was required for this cleanup: YES NO Controlled substance tested for: d-methamphetamine Other: Highest level observed: 0.935 µg/100 cm² Location of highest level: HVAC Lab contact: Frank Smith Leb contact: Frank Smith Telephone number: NOSH 9106	Property Type:					
Clearup information: Clearup method used (check one): Cleared by initial testing (testing required) Decontamination (testing required) Combination of decontamination and removal of potentially contaminated materials (testing required) Cleanup narrative: 1. Veniliation of residence prior to and during remediation activitie 2. Removal of all potentially contaminated materials. 3. Removal of all potentially contaminated materials. 4. Cleaning of all contaminated surfaces using a triple-wash method. 5. Removal of all flex ductwork. 6. Cleaning of the HVAC system. 7. A single wash of ALL surfaces. 8. HEFA Vacuum all surfaces. 8. HEFA Vacuum all surfaces 9. Encapsulation of the subfloor and walls. Disposal site(s): National Serv-All Landfill 5000 Smith Road Fort Wayne IN, 48804 (260) 436-1932 Final Confirmation testing: Testing was required for this cleanup: September 26, 2011 Name of amplical laboratory: ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West Levoy Dr. Sall Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Clearup method used (service) disposal of mobile home disposal of mobile from belien of structure of disposal of mobile home disposal of all potentially contaminated materials (learney) endoughed and enterials (testing required) Controlled substance tested for: d-methamphetamine Controlled substance tested for: d-methamphetamine Unders of analytical aboratory (number and street, city, state, and ZIP code): 900 West Levoy Dr. Sall Lake City, UT 84123 Analytical method used: EPA (SW-846) Method 8270C/D NOSH 9111 DRAFT NIOSH 9106	Indiana State Police Methamphetamine			id,		
Clearup method used (check one): Cleared by initial testing (testing required) Combination of decontamination (testing required) Combination of decontamination and removal of potentially contaminated materials (testing required) Cleanup narrative: 1. Ventiliation of residence prior to and during remediation activitie 2. Removal of all potentially contaminated materials. 3. Removal of all potentially contaminated materials. 3. Removal of all potentially contaminated surfaces using a triple-wash method. 5. Removal of all flox ductwork. 6. Cleaning of all contaminated surfaces using a triple-wash method. 7. A single wash of ALL surfaces. 8. HEPA Vacuum all surfaces 9. Encapsulation of the subfloor and walls. Disposal site(s): National Serv-All Landfill 5000 Smith Road Fort Wayne IN, 48604 (260) 436-1932 Final confirmation testing: Testing was required for this cleanup: Very Yes NO Date of sampling(month, day, year): September 26, 2011 Name of analytical laboratory: ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West LeVoy Dr. Salt Lake City, UT 84123 Analytical method used: FPA (SW-846) Method 8270C/D NIOSH 9110 DRAFT NIOSH 9106						
Cleared by initial testing (testing required) Demolition of structure or disposal of mobile home Removal of all potentially contaminated materials						
1. Ventilation of residence prior to and during remediation activitie 2. Removal of all potentially contaminated materials. 3. Removal of carpet and underlayment. 4. Cleaning of all contaminated surfaces using a triple-wash method. 5. Removal of all flex ductwork. 6. Cleaning of the HVAC system. 7. A single wash of ALL surfaces. 8. HEPA Vacuum all surfaces. 9. Encapsulation of the subfloor and walls. Disposal site(s): National Serv-All Landfill 5000 Smith Road Fort Wayne IN, 46804 (260) 436-1932 Final confirmation testing: Testing was required for this cleanup: YES NO Controlled substance tested for: Address of analytical laboratory: ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 Vest LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: NIOSH 9110 NIOSH 9110 NIOSH 9110 NIOSH 9110	☐ Cleared by initial testing (testing required) ☐ Demolition of structure or disposal of mobile home ☐ Removal of all potentially contaminated materials					
National Serv-All Landfill 5000 Smith Road Fort Wayne IN, 46804 (260) 436-1932 Final confirmation testing: Testing was required for this cleanup: ☑ YES ☐ NO Date of sampling(month, day, year): September 26, 2011 Name of analytical laboratory: ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Analytical method used: □ PA (SW-846) Method 8270C/D □ NIOSH 9111 DRAFT ☑ NIOSH 9106	1. Ventilation of residence prior to and during remediation activitie 2. Removal of all potentially contaminated materials. 3. Removal of carpet and underlayment. 4. Cleaning of all contaminated surfaces using a triple-wash method. 5. Removal of all flex ductwork. 6. Cleaning of the HVAC system. 7. A single wash of ALL surfaces. 8. HEPA Vacuum all surfaces					
Testing was required for this cleanup: ☐ YES ☐ NO Date of sampling(month, day, year): September 26, 2011 Name of analytical laboratory: ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Controlled substance tested for: dmethamphetamine Other: Nighest level observed: 0.035 µg/100 cm² Location of highest level: HVAC Analytical method used: □ EPA (SW-846) Method 8270C/D □ NIOSH 9111 DRAFT □ NIOSH 9106	National Serv-All Landfill 5000 Smith Road Fort Wayne IN, 46804			X		
Testing was required for this cleanup: YES NO Date of sampling(month, day, year): September 26, 2011 Name of analytical laboratory: ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Address of analytical laboratory (number and street, city, state, and ZIP code): Analytical method used: Analytical method used: PPA (SW-846) Method 8270C/D NIOSH 9111 DRAFT NIOSH 9106	Final confirmation testing:					
Date of sampling(month, day, year): September 26, 2011 Name of analytical laboratory: ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Analytical method used: □ Code □ NIOSH 9111 DRAFT □ NIOSH 9106	Testing was required for this cleanup: ⊠ YES □ NO					
ALS Laboratory Group Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Analytical method used: EPA (SW-846) Method 8270C/D NIOSH 9111 DRAFT NIOSH 9106						
Address of analytical laboratory (number and street, city, state, and ZIP code): 960 West LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Analytical method used: PA (SW-846) Method 8270C/D NIOSH 9111 DRAFT NIOSH 9106			Highest level observed:			
960 West LeVoy Dr. Salt Lake City, UT 84123 Lab contact: Frank Smith Telephone number: Location of highest level: HVAC Analytical method used: □ EPA (SW-846) Method 8270C/D □ NIOSH 9111 DRAFT □ NIOSH 9106			<u>0.035</u> μg/100 cm ²			
Lab contact: Frank Smith Telephone number: Analytical method used: EPA (SW-846) Method 8270C/D NIOSH 9111 DRAFT NIOSH 9106	960 West LeVoy Dr.		Location of highest level: HVAC			
Frank Smith Telephone number: EPA (SW-846) Method 8270C/D NIOSH 9111 DRAFT NIOSH 9106	Salt Lake City, UT 84123		Essation of highest level. 1177/0			
Frank Smith Telephone number: EPA (SW-846) Method 8270C/D NIOSH 9111 DRAFT NIOSH 9106						
Telephone number: NIOSH 9111 DRAFT NIOSH 9106						
(800) 356 - 9135			☐ NIOS	H 9111 DRAFT H 9106	J	
	(800) 356 - 9135		Other			

Certification of cleanup:

"I am listed by the Indiana Department of Environmental Management to inspect and clean up properties contaminated with chemicals used in the illegal manufacture of a controlled substance under 318 IAC 1, and my listing was effective on the date this certificate was signed. I have cleaned or supervised cleaning of the property described above as required by 318 IAC 1. I certify that the property described above met all applicable decontamination levels listed in 318 IAC 1-5 at the time of sampling if sampling was required, and that all work required by 318 IAC 1 was performed. I certify, under penalty of perjury as provided in IC 35-44-2-1, that to the best of my knowledge this information is true and accurate."